

AY-F54

Outdoor Backlit 3x4 PIN Reader

Rosslare's newest outdoor backlit keypad, the AY-F54 Outdoor Backlit PIN reader, is a cost-effective solution for indoor and outdoor systems where PIN credentials are required. This durable model can be easily interfaced with Rosslare's or most third-party controllers.

General Description

For greater peace of mind, this sturdy access control unit provides a rugged reader with advanced access control features, in an aesthetically-designed housing.

The AY-F54 offers programmable PIN transmission formats, LED Control, and tamper detection, in order to provide extra security and flexibility.

Come rain or shine, this reader can handle the challenge, with its rugged ultraviolet-resistant housing and waterproof enclosure for maximum durability.

The backlit keypad is clearly visible day or night, making these units ideal for residential and commercial applications.



Main Features

- Supports 4-Digit to 8-Digit PIN credentials.
- Smooth, attractive design, with all-weather indoor and outdoor operation.
- Large, high-visibility RED Backlit Keypad.
- 2 tri-colored LEDs and an integral sounder for programming and operation.
- User friendly menu system based on keypad, LED and sounder indicators.
- Back Optical tamper detection output.
- Door bell feature ('*' key), when operated with Rosslare controllers.

PROFESSIONAL GRADE FEATURES

- 8 Selectable PIN transmission modes including options for Key stream, Binary, Parity, and 3x4 Matrix.
- Supports Wiegand or Clock & Data Transmission formats.
- Comes with a mounting and drilling label, security screw, and tool set to prevent unauthorized opening.
- 60 cm (23.6 in.) shielded interface cable.

AY-F54

Outdoor Backlit 3x4 PIN Reader



Product Specifications

ELECTRICAL CHARACTERISTICS	
• Operating Voltage Range:	5-16 VDC, from a regulated power supply.
• Input Current:	Standby: 50mA at 12 VDC Maximum: 60mA at 12 VDC
• LED Control:	Dry Contact, N.O.
• Tamper:	Optical back tamper sensor, O.C. active low 32mA max sink current
OPERATIONAL CHARACTERISTICS	
• Keypad:	3x4 Keys for PIN codes entry and local programming Door bell key ('*') function (with Rosslare controllers only)
• Facility code:	Programmable
• PIN Code formats:	8 selectable formats, from single to 8 digit PIN Codes, including: - 6 and 8 Bits Wiegand, Nibble and Parity bit options, optional Rosslare Format - 1-5 keys, fixed 4 keys and 6 keys BCD with facility code, Wiegand 26 bits - 3x4 Matrix single key - 1 to 8 keys BCD, Clock & Data
• Audio/Visual:	Two tri-color LED indicators, Built-in sounder
• Design:	Epoxy potted, fully sealed in a rugged polycarbonate enclosure. Red illuminated rubber keys. Suitable for harsh environments.
ENVIRONMENTAL CHARACTERISTICS	
• Operating Environment:	Water resistant, suitable for outdoor use (IP65)
• Operating Temperature:	-30°C to 65°C (-22°F to 150°F)
• Operating Humidity:	0 to 95% (non-condensing)
• RFI Protection:	> 20 V/m up to 1000 MHz
PHYSICAL CHARACTERISTICS	
• Dimensions:	121mm x 71mm x 24mm (4.72" x 2.80" x 0.95")
• Weight:	244 g (0.54 lbs)

System Components

The AY-F54 is compatible with a variety of Rosslare's access controllers (AC-215, AC-115, AC-020, AC-015), as well as with many third party access control systems.



Additional Information

The AY-F54 is covered by Rosslare's 5-year Limited Product Warranty.

For sales information or product documentation, please visit our website:
<http://www.rosslaresecurity.com>.



Distributed by:

VERSION 2.0
5501-0010236-01
© Copyright Rosslare 2005-2006

